



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No : AS0027679(9) Date: 26 May 2014

Application No : LS017124(4)

Applicant : STAR PRODUCTS COMPANY LIMITED
11/F., TOWER 1, TERN CENTRE,
237 QUEEN'S ROAD CENTRAL,
HONG KONG

Sample Description : One (1) submitted sample stated to be Rose water 玫瑰水.
Sample Size : 8mL, 15mL, 50mL, 270mL
Test Part : Mixed all sample for test
Sample Status Upon Receipt : Room temperature

Photo(s) : Refer to the photo(s) on page 3.

Date Received : 19 May 2014.

Test Period : 22 May 2014 to 26 May 2014.

Test Requested : 1. Lead Content (鉛)
2. Tin Content (錫)
3. Arsenic Content (砷)
4. Mercury Content (汞)

Test Method : Microwave digestion followed by Inductively Coupled Plasma Mass Spectrometry.

Test Result : Refer to the result(s) on page 2.

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature : _____

Tung Ho Shan, Sharon
Assistant Manager
Food and Pharmaceutical Division

Page 1 of 3



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No : AS0027679(9)

Date: 26 May 2014

Application No : LS017124(4)

Test Result :

Test Item	Result (mg/kg)	Reporting Limit (mg/kg)	Max. Permissible Limit (mg/kg)	Conclusion
1. Lead Content (鉛)	Not Detected	0.10	6	Comply
2. Tin Content (錫)	Not Detected	2.0	230	Comply
3. Arsenic Content (砷)**	Not Detected	0.10	0.14	Comply
4. Mercury Content (汞)	Not Detected	0.020	0.5	Comply

- Note :
1. mg/kg denotes milligram per kilogram.
 2. The maximum permissible limit is quoted from the HKCAP 132V Hong Kong Food Adulteration (Metallic Contamination) Regulations.
 3. **Arsenic is in the form of Arsenic Trioxide.



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No : AS0027679(9)

Date: 26 May 2014

Application No : LS017124(4)



***** End of Report *****